



- Fix sheets with 40 x 2.8mm Hardie™ Flex nails
- at 150mm centres around diaphragm boundary and sheet perimeter and
 - at 200mm centres to intermediate supports and
 - 12mm from the edge of the sheet.
 - to batten spacing at maximum 600mm centres

Minimum sheet size 1800 x 900mm. Cut sheets permitted to complete diaphragm.

Note: Flat ceiling shown, similar criteria apply for raking ceilings